



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/033,080	12/26/2001	Gerald L. Ehlers	064749.0139	8497

5073 7590 10/03/2002

BAKER BOTTS L.L.P.  
2001 ROSS AVENUE  
SUITE 600  
DALLAS, TX 75201-2980

EXAMINER

ALSOMIRI, ISAM A

ART UNIT PAPER NUMBER

3662

DATE MAILED: 10/03/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/033,080

Applicant(s)

EHLERS ET AL.

Examiner

Isam A Alsomiri

Art Unit

3662

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 26 December 2001.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-33 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 December 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                   | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)          | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____. | 6) <input type="checkbox"/> Other: _____.                                   |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 112*

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

**Claims 2, 8, 12, 14-15, 17, 22-23, 26, and 30 are rejected under 35 U.S.C. 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Regarding claims 8, 17, 26 and 30, the disclosure does not explain an antenna having a dipole of a length of one of the transmitted RF signals:**

(a) “antenna comprises a dipole having a length of one wavelength at one of the at least two RF signals” --**claim 8.**

(b) “antenna comprises a dipole having a wavelength determined by either the first frequency or the second frequency” --**claim 17.**

(c) “antenna comprises a dipole having a length of one wavelength at one of at least two RF signals” --**claim 26.**

Art Unit: 3662

(d) “antenna comprises a dipole having a length of one wavelength at either the first frequency or the second frequency” --**claim 30**.

*Keep*  
**Regarding claims 2, 15, 18, 22 and 23**, it is unclear how a one diode can generate a third harmonic intermodulation output in response to two RF signals, and comprises a signature identification of the article. For examination purpose, more than one diode will be considered for the “at least one RF diode” to comprise a signature identification of the article.

*Keep*  
**Regarding claims 12, 14, 22, and 23**, it is unclear how the at least one RF diode generate a third harmonic intermodulation output in accordance the expression  $(2F1 - F2)$  in claims 12 and 22) or  $(2F2 - F1)$  in claims 14 and 23), it is unclear how the at least one diode radiate  $(2F1 - F2)$  or  $(2F2 - F1)$  in response to  $F1$  and  $F2$  signals.

*cut*  
**Claim 18 is rejected under 35 U.S.C. 112, second paragraph**, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 18 recites the limitation "the third harmonic intermodulation output" in lines 5-6. There is insufficient antecedent basis for this limitation in the claim. It should read: the harmonic intermodulation output.

Art Unit: 3662

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

**Claims 1-4 are rejected under 35 U.S.C. 102(b) as being anticipated by Mawhinney.**

**Referring to claim 1 and 3,** Mawhinney teaches a RF diode carried by an article and responsive to two RF signals to generate a third harmonic intermodulation output, the diode generate harmonic signal characteristics for RF article identification (see Abstract, col. 1 lines 10-19 and 49- 58).

**Referring to claim 2,** Mawhinney teaches a tag that comprises at least one diode comprises a unique identification or a signature identification of the article carrying the diode (see col. 3 lines 16-27).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**Claims 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mawhinney.**

Mawhinney teaches “by way of example” f1 may range from 9.5 to 10 GHz and f2 my range from 12.0 to 12.5 (see col. 2 lines 22-26), therefore, the choice of a frequency range is arbitrary,

Art Unit: 3662

and it would be obvious to choose any range of frequencies according to the system, which reads on the claimed “responds to RF signals in a frequency range from about 24.0 GHz to about 24.1 GHz”.

**Claims 5-7, 9-11, 13, 15-16, and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mawhinney in view of Nysen.** Referring to claim 5, Mawhinney discloses in figures 1-4 at least one semiconductor device carried by an article and responsive to at least two RF signals to generate an harmonic intermodulation output (see Abstract, col. 1 lines 10-19 & 49- 58), an antenna 24 receiving an harmonic intermodulation output. Mawhinney does not teach using a signal analyzer coupled to the antenna and responsive to the analyzer signal, Nysen teaches using an analyzer for reconstructing the symbols form the detected modulation pattern (see col. 10 lines 52-56), which reads on the claimed a signal analyzer coupled to the antenna and responsive to the analyzer signal to identify the article carrying the at least one semiconductor device. It would have been obvious to include in Mawhinney’s system a signal analyzer coupled to the antenna to obtain and extract the signal more accurately for further processing.

**Referring to claim 6,** Mawhinney teaches at least one RF diode (see col. 1 lines 10-19 and 49-58).

**Referring to claim 7,** Mawhinney teaches “by way of example”  $f_1$  may range from 9.5 to 10 GHz and  $f_2$  may range from 12.0 to 12.5 (see col. 2 lines 22-26), therefore, the choice of a frequency range is arbitrary, which reads on the claimed “responds to RF signals in a frequency range from about 24.0 GHz to about 24.1 GHz”.

**Referring to claim 9**, Mawhinney teaches a tag that comprises at least one semiconductor device comprises a signature identification of the article carrying the semiconductor device (see col. 3 lines 16-27).

**Referring to claim 10**, Mawhinney discloses in figures 1-4 a first signal generator 12 to generate an RF signal at a first frequency, a second signal generator 14 to generate an RF signal at a second frequency, at least one RF diode carried by an article and responsive to at least two RF signals to generate an harmonic intermodulation output (see Abstract, col. 1 lines 10-19 & 49- 58), an antenna 24 receiving an harmonic intermodulation output. Mawhinney does not teach using a signal analyzer coupled to the antenna and responsive to the analyzer signal, Nysen teaches using an analyzer for reconstructing the symbols form the detected modulation pattern (see col. 10 lines 52-56), which reads on the claimed a signal analyzer coupled to the antenna and responsive to the analyzer signal to identify the article carrying the at least one RF diode. It would have been obvious to include in Mawhinney's system a signal analyzer coupled to the antenna to obtain and extract the signal more accurately for further analyses.

**Referring to claims 11 and 13**, Mawhinney discloses in figures 1-4 antenna 24 receives the signal by subtraction of the first frequency signal from the second frequency signal (see col. 1 lines 49-58). Furthermore, it is obvious to use different mixers diodes that subtract a second frequency signal from the first frequency signal, or vice versa, subtraction of a first frequency from the second frequency signal.

**Referring to claim 15**, Mawhinney teaches a tag that comprises at least one diode comprises a signature identification of the article carrying the diode (see col. 3 lines 16-27).

**Referring to claim 16**, Mawhinney teaches “by way of example”  $f_1$  may range from 9.5 to 10 GHz and  $f_2$  may range from 12.0 to 12.5 (see col. 2 lines 22-26), therefore, the choice of a frequency range is arbitrary, which reads on the claimed “responds to RF signals in a frequency range from about 24.0 GHz to about 24.1 GHz”.

**Referring to claim 18**, Mawhinney discloses in figures 1-4 generating at least two RF signals  $f_1$  and  $f_2$  at separate frequencies, generating an harmonic intermodulation signal by at least one RF diode carried by an article and responsive to the at least two RF signals (see Abstract, col. 1 lines 10-19 & 49-68), generating a signal from antenna 24 receiving the third harmonic intermodulation output, generating an article unique identification or an identification signature by the signal from antenna 24 (col. 3 lines 16-27). Mawhinney does not teach generating an analyzer signal from an antenna, and analyzing the analyzer signal to generate an article identification signature, Nysen teaches an analyzer for reconstructing the symbols from the detected modulation pattern, which inherently requires an analyzer signal, which reads on the claimed generating an analyzer signal from an antenna, and analyzing the analyzer signal to generate an article identification signature (see col. 10 lines 52- 56). It would have been obvious to include in Mawhinney’s system a signal analyzer coupled to the antenna to obtain and extract the signal or the article identification signature more accurately for further analyses.



**Claims 19-21, 24-25, 28-29, and 31-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mawhinney in view of Nysen and Dames et al. Referring to claims 19-21, Mawhinney does not teach storing the article signature for subsequent identification of the article, Dames teaches providing a data storage and retrieval system, and comparing the characteristics with known stored information in a data bank relating to items on an inventory to identify that item (see col. 2 lines 30-33 and 46- 51), which reads on the claimed storing the article signature for subsequent identification of the article, scanning the stored article signatures for identification of an article, and generating an article identification in response to scanning the stored article signature. It would have been obvious to modify Mawhinney's system to include storing article signatures and scan the stored signatures to identify the articles carrying a tag and to obtain more reliable tag detection and an accurate item identification system.**

**Referring to claim 24, Mawhinney discloses in figures 1-4 identification system for articles carrying a diode generating an harmonic intermodulation output (see Abstract, col. 1 lines 10-19 & 49-68). Mawhinney does not teach a spectrum analyzer responsive to an harmonic intermodulation output, the spectrum analyzer generating an identification signal, Nysen teaches an analyzer for reconstructing the symbols from the detected modulation pattern, and an output for producing information corresponding to said sequence of symbols (see col. 10 lines 52-56), which reads on the claimed a spectrum analyzer responsive to an harmonic intermodulation output, the spectrum analyzer generating an identification signal. It would have been to include the spectrum analyzer to extract the signal and obtain the article identification signature more accurately for further analyses. Mawhinney does not teach a signature memory storing the**

Art Unit: 3662

identification signatures of at least one article for identification, and a comparator responsive to the identification signal, the comparator generating an output identifying an article carrying at least one semiconductor device from the stored identification signatures, Dames teaches a data storage or a data bank for storing tag characteristics, which reads on the claimed a signature memory storing the identification signatures of at least one article for identification (see col. 2 lines 30-34 & 1-46), Dames teaches a comparator to compare the detected characteristics with information in the data bank to identify the article carrying the tag, which reads on the claimed a comparator responsive to the identification signal, the comparator generating an output identifying an article from the stored identification signatures (see col. 2 lines 46- 65). It would have been obvious to modify Mawhinney's system to further include the signature memory and the comparator to identify the articles carrying a tag, and obtain a more reliable tag detection system and an accurate item identification system.

**Referring to claim 28,** Mawhinney discloses in figures 1-4 a first signal generator 12 to generate an RF signal at a first frequency, a second signal generator 14 to generate an RF signal at a second frequency, at least a diode mixer carried by an article and responsive to at least two RF signals to generate an harmonic intermodulation output (see Abstract, col. 1 lines 10-19 & 49- 58), an antenna 24 receiving an harmonic intermodulation output.

**Referring to claims 25 and 29,** Mawhinney discloses in figures 1-4 generating a signal from an antenna 24 receiving the harmonic intermodulation output by diode mixer, which reads on the claimed at least one semiconductor device carried by an article (see col. 1 lines 10-19 & 49-58), generating an article unique identification or an identification signature by the signal from the antenna 24 (col. 3 lines 16-27). Mawhinney does not teach generating an analyzer

Art Unit: 3662

signal, the analyzer responsive to the analyzer signal to generate an article identification signature, Nysen teaches an analyzer for reconstructing the symbols from the detected modulation pattern, which inherently requires an analyzer signal, which reads on the claimed generating an analyzer signal from an antenna, and analyzing the analyzer signal to generate an article identification signature (see col. 10 lines 52- 56). It would have been obvious to include in Mawhinney's system a signal analyzer coupled to the antenna to obtain and extract the signal or the article signature more accurately for further analyses.

**Referring to claim 31,** Mawhinney discloses in figures 1-4 generating at least two RF signals f1 and f2 at separate frequencies, generating an harmonic intermodulation signal by a diode carried by an article and responsive to the at least two RF signals (see Abstract, col. 1 lines 10-19 & 49-68), generating a signal from an antenna 24 receiving the harmonic intermodulation output, generating an article unique identification or an identification signature by the signal from the antenna 24 (col. 3 lines 16-27). Mawhinney does not teach generating an analyzer signal from an antenna, and analyzing the analyzer signal to generate an article identification signature, Nysen teaches an analyzer for reconstructing the symbols from the detected modulation pattern, which inherently requires an analyzer signal, which reads on the claimed generating an analyzer signal from an antenna receiving the harmonic intermodulation output (see col. 10 lines 52- 56). It would have been obvious to include in Mawhinney's system a signal analyzer coupled to the antenna to obtain and extract the signal or the article identification signature more accurately for further analyses. Mawhinney does not teach comparing the analyzer signal with stored identification signature to identify the article carrying the at least one semiconductor, Dames teaches a data storage or a data bank for storing tag characteristics, which

Art Unit: 3662

reads on the claimed one or more stored identification signatures (see col. 2 lines 30-34 & 1-46), a comparator to compare the detected characteristics with information in the data bank to identify the article carrying the tag, which reads on the claimed comparing the analyzer signal with stored identification signature to identify the article (see col. 2 lines 46- 65). It would have been obvious to modify Mawhinney's system to include comparing the signal with stored article signatures to identify the articles carrying a tag, and obtain a more reliable tag detection system and an accurate item identification system.

**Referring to claims 32 and 33**, Mawhinney does not teach storing the identification signatures for subsequent comparison with signals, Dames teaches providing a data storage and retrieval system, and comparing the characteristics with known stored information in a data bank relating to items on an inventory to identify that item (see col. 2 lines 30-33 and 46- 51), which reads on the claimed storing the identification signatures for subsequent comparison with signals, and scanning the stored signatures and generating an article identification signal in response to a comparison between the stored signatures and the signal. It would have been obvious to modify Mawhinney's system to include storing article signatures and scan the stored signatures to identify the articles carrying a tag and to obtain a more reliable tag detection and an accurate item identification system.

**Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mawhinney in view of Nysen and Dames et al. as applied to claim 24 above, and further in view of Shimamura et al.** The combination of Mawhinney, Nysen, and Dames does not teach a display

Art Unit: 3662

responsive to the signal generated by the comparator to indicate identification of an article, Shimamura teaches display responsive to the signal generated by the comparator to indicate identification of an article (see col. 1 line 67 – col. 2 line 19). It would have been obvious to modify the combination of Mawhinney, Nysen, and Dames' system to further include a display to be able to identify the article carrying the tag easily.

### *Conclusion*

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Hook et al. is cited to show an identification system and storing variable identification signatures.

Bitler et al. is cited to show an article carrying a unique mark and at least one semiconductor chip.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Isam A Alsomiri whose telephone number is 703-305-5702. The examiner can normally be reached on Monday-Thursday and every other Friday (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas H Tarcza can be reached on 703-306-4171. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-9326 for regular communications and 703-305-9327 for After Final communications.


Art Unit: 3662

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

Isam Alsomiri



September 27, 2002



THOMAS H. TARCZA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600